SCANNED

RECEIVED

DEC 2 2 2011

Timothy Brandenburg Drilling Manager Union Oil Company dividior of Water Quality
3800 Centerpoint Dividetewater Discharge Program
Suite 100
Anchorage, AK 99503

Suite 100
Anchorage, AK 99503
Tel 907 263 7657
Fax 907 263 7884
Email brandenburgt@chevron.com

December 16, 2011

Chevron

Mr. Chae Park U.S. Environmental Protection Agency Region 10, Water Compliance Section 1200 Sixth Avenue, OW-133 Seattle, WA 98101

RETURN RECEIPT REQUESTED - CERTIFIED MAIL 91 7108 2133 3938 6048 6491

Re: NPD

NPDES Permit No. AKG-31-5002

Trading Bay Production Facility November 2011 Discharge Monitoring Reports (DMR)

Dear Mr. Park:

Union Oil Company of California ("Union") operates the Trading Bay Production Facility that discharges regulated effluents in Cook Inlet, Alaska under NPDES Permit No. AKG-31-5002. Pursuant to condition VI.B of the Permit, Union Oil Company of California is hereby submitting the November 2011 NPDES Discharge Monitoring Reports (DMRs) for the Trading Bay Production Facility.

Please take note that Union is using the forms provided by EPA with corrections to accommodate the reporting that is required by the permit. The corrections were approved by your Data Steward in an e-mail to Marilu Moreno-Jones dated September 3, 2010. Union plans to use this same format for future DMR submittals.

Consistent with the authorization in your e-mail of September 16, 2010, this letter certifies all of the 5 pages of DMRs for Trading Bay Production Facility attached to this letter.

If you have any questions, please direct them to Mr. Bill Britt at (907) 263-7830 or via e-mail at brittb@chevron.com .

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Best regards.

Timothy Brandenburg

Mr. Chae Park US Environmental Protection Agency December 16, 2011 Page 2

bcc: Susan Saupe, CIRCAC

Facility Operations Supervisors
HES 2011 NPDES DMR - TBPF File
HES 2011 NPDES DMR - REGIONAL File

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247

FACILITY: TRADING BAY TREATMENT FACILITY

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

| MONITORING PERIOD | MM/DD/YYYY | MM/DD/YYYY | 11/01/2011 | TO | 11/30/2011 |

DMR Mailing ZIP CODE: 99519

MINOR

(SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUAN	TITY OR LOADING	j .	(	QUALITY OR CO	CENTRATION	_	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
FARAMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
рН	SAMPLE MEASUREMENT	****	*****	*****	NA NA	****	NA	NA	NA	NA	NA
00400 V 0 See Comments	PERMIT REQUIREMENT	*****	****	*****	6 MINIMUM	*****	9 MAXIMUM	SU		Monthly	GRAB
рН	SAMPLE MEASUREMENT	*****	*****	*****	6.8	*****	7.6	SU	0	Weekly	GRAB
00400 W 0 See Comments	PERMIT REQUIREMENT	613147	*****	*****	6 MINIMUM	<b>大大和政府</b> 等	9 MAXIMUM	SU		Weekly	GRAB
Oil and grease	SAMPLE MEASUREMENT	*****	*****	****	****	NA	NA	NA	NA	N/A	NA
03582 T 0 See Comments	PERMIT REQUIREMENT	***	*****	*****	<b>水分析水 会由</b>	29 MO AVG	42 DAILY MX	mg/L		Weekly	GRAB
Oil and grease	SAMPLE MEASUREMENT	****	*****	****	****	24	30	mg/L	0	Weekly	COMP24
03582 U 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	*****	29 MO AVG	42 DAILY MX	mg/L		Weekly	COMP24
Flow, in conduit or thru treatment plant*	SAMPLE MEASUREMENT	3.444890	3.743796	Mgal/d	*****	*****	*****	*****	NA	Monthly	ESTIMA
50050 1 0 Effluent Gross	PERMIT REQUIREMENT	Reg, Mon, MO AVG	Req. Mon. DAILY MX	Mgal/d	***	****	*****	****		Monthly	ESTIMA
Produced water, free oil	SAMPLE MEASUREMENT	****	NA	NA	****	*****	******	*****	NA	NA	NA
79834 1 0 Effluent Gross	PERMIT REQUIREMENT	*金余大夫*	Req. Mon. MO TOTAL	occur/mo	****	查查由安全支	p frit is is	*****		Daily	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	subsequence decognostice sains a adaption occurrence of an adaption of an adaption between the observe farmer, such examples once		TEL	EPHONE .	DATE
John Zager, General Manager Mid Continent/Alaska Business Unit	Information submitted. Based on my inquiry of the person or persons who manage the system, or those persons decoil; recognosible for gethering the information, the antermation submitted is, to the best of my knowledge and belief, true, securate, and complete I am aware that there are significant penalties for submitting false	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(907)	276-7600	12/16/2011
TYPED OR PRINTED	information, including the possibility of fine and improvement for knowing violations.	OR AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NO DISCHARGE OF PRODUCED SAND IS ALLOWED

T = GRAB SAMPLE

U = COMPOSIT SAMPLE

V = DISCHARGE < 1 MGD (PREVIOUS MONTHS AVG RATE)

W = DISCHARGE > 1 MGD (PREVIOUS MONTH'S AVG RATE)

\*Flow rates include deck drainage from Dolly Varden, Grayling, King Salmon, Monopod, and Steelhead Platforms.

Estimated completion fluid flow rate: 0.033684 Mgal/d

Estimated completion fluid flow rate: Estimated workover fluid flow rate:

0.025934 Mgal/d

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247

FACILITY: TRADING BAY TREATMENT FACILITY

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

 MONITORING PERIOD

 MM/DD/YYYY
 MM/DD/YYYY

 11/01/2011
 TO
 11/30/2011

DMR Mailing ZIP CODE: 99519

MINOR (SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUANT	TITY OR LOADING		(	QUALITY OR CON	ICENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PAGRICIEN		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	*****	****	*****	*****	No Sample	No Sample	mg/L	NA	Quarterly	GRAB
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	Req. Mon, MO AVG	Req. Mon, DAILY MX	mg/L		Quarterly	GRAB
Silver total recoverable	SAMPLE MEASUREMENT	****	***	*****	*****	5	5	ug/L	0	Monthly	GRAB
01079 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	****	*****	特别有有法长	23 MO AVG	47 DAJLY MX	ug/L		Monthly	GRAB
Silver total recoverable	SAMPLE MEASUREMENT	***	****	****	****	NA	NA	NA	NA	NA	NA
01079 P 0 See Comments	PERMIT REQUIREMENT	如有疾病的最	*****	*****	*******	23 MO AVG	47 DAILY MX	ug/L		Quarterly	CALCTD
Silver total recoverable	SAMPLE MEASUREMENT	***	表演物的歌歌	*****	*****	NA	NA	NA	NA	NA	NA
01079 Q 0 See Comments	PERMIT REQUIREMENT	***	****	*****	****	23 MO AVG	47 DAILY MX	ug/L		Weekly	GRAB
Zinc, total recoverable	SAMPLE MEASUREMENT	卖油安电话和	****	*****	*****	0.03	0.03	mg/L	0	Monthly	GRAB
01094 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****	*****	*****	0.9 MO AVG	1,9 DAILY MX	mg/L		Monthly	GRAB
Zinc, total recoverable	SAMPLE MEASUREMENT	****	*****	*****	*****	NA	NA	NA	NA	NA	NA
01094 P 0 See Comments	PERMIT REQUIREMENT	****	****	****	*****	0.9 MO AVG	1.9 DAILY MX	mg/L		Monthly	GRAB
Zinc, total recoverable	SAMPLE MEASUREMENT	由 章 故 专 李	****	*****	*****	NA	NA	NA	NA	NA	NA
01094 Q 0 See Comments	PERMIT REQUIREMENT	<b>含杂类水</b> 素	力法状态状态	*****	*****	0.9 MO AVG	1.9 DAILY MX	mg/L_		Quarterly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision accordance with a system designed to assure that qualified personnel property gather and evaluate the		TELEPHONE	DATE
John Zager, General Manager Mid Continent/Alaska Business Unit	information submitted. Based on my inquiry of the person or perform who manage the system, or those persons describt perspectable for gathering the minimation in the information inhubited is, to the best of my kindwidege and helief, true, accurate, and complete 1 am assure that there are significant penalties for submitting false.		(907) 276-7600	12/16/2011
TYPED OR PRINTED	information, including the possibility of line and anyons much for knowing violations	OR AUTHORIZED AGENT	AREA Code NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

P=MONT. REDUCE (II.G.6,a.1.)
Q=MONT INCREASE (II.G.6.a.2.)
R=ACCELERATED TESTING (III.A.7)

Form Approved OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247

FACILITY: TRADING BAY TREATMENT FACILITY

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 11/30/2011 11/01/2011 TO

DMR Mailing ZIP CODE: 99519

MINOR (SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUANT	TITY OR LOADING	<b>3</b>		QUALITY OR CON	CENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PARABICIEN		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Copper, total recoverable	SAMPLE MEASUREMENT	内有内容有	*****	*****	*****	4	4	ug/L.	0	Monthly	GRAB
01119 1 0 Effluent Gross	PERMIT REQUIREMENT	古片故存此有	*****	*****	*****	47 MO AVG	117 DAILY MX	ug/L		Monthly	GRAB
Copper, total recoverable	SAMPLE MEASUREMENT	安定市场市	*****	*****	****	NA	NA	NA	NA	NA	NA
01119 P 0 See Comments	PERMIT REQUIREMENT	<b>含含</b> 素含含素	*****	*****	****	47 MO AVG	117 DAILY MX	ug/L		Quarterly	GRAB
Copper, total recoverable	SAMPLE MEASUREMENT	汝并乔幸尚者	******	*****	****	NA	NA	NA	NA	NA	NA.
01119 Q 0 See Comments	PERMIT REQUIREMENT	***	****	*****	*****	47 MO AVG	117 DAILY MX	ug/L		Weekly	GRAB
Manganese, total recoverable	SAMPLE MEASUREMENT	****	<b>水光多次条</b> 系	*****	***	2	2	mg/L	O	Monthly	GRA8
11123 1 0 Effluent Gross	PERMIT REQUIREMENT	****	******	*****	*****	25 MO AVG	50 DAILY MX	mg/L		Monthly	GRAB
Manganese, total recoverable	SAMPLE MEASUREMENT	*****	成成病病效力	*****	*****	NA	NA	NA	NA	NA	NA
11123 P 0 See Comments	PERMIT REQUIREMENT	由安全化会社	*****	*****	****	25 MO AVG	50 DAILY MX	mg/L		Quarterly	GRAB
Manganese, total recoverable	SAMPLE MEASUREMENT	有內水物有字	<b>埃森敦安全</b>	*****	****	NA	NA	NA	NA	NA	NA
11123 Q 0 See Comments	PERMIT REQUIREMENT	市市场场场	****	*****	*****	25 MO AVG	50 DAILY MX	mg/L		Weekly	GRAB
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	***	*****	*****	***	10	10	mg/L	0	Monthly	GRAB
39942 1 0 Effluent Gross	PERMIT REQUIREMENT	<b>共享有收</b> 有金	****	*****	<b>非</b> 语电子 4.大	18 MO AVG	27 DAILY MX	mg/L		Monthly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	solici alecia decid cather said a shariff neathern or assert may desirted between the harbests farmer our example our		TELEPHONE	DATE
John Zager, General Manager	information submitted. Based on my majury of the person or persons who manage the system, or those persons derectly responsible for gathering the information the information submitted is, to the best of my knowledge and height true, accurate, and complete I am aware that there are significant penalties for submitting falso	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(907) 276-7600	12/16/2011
TYPED OR PRINTED	information, including the possibility of fine and imprisonment for knowing violations.	OR AUTHORIZED AGENT	AREA Code NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

P=MONT. REDUCE (II.G.6.a.1.) Q=MONT INCREASE (II.G.6.a.2.) R=ACCELERATED TESTING (III.A.7)

Form Approved OMB No. 2040-8004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247 FACILITY: TRADING BAY TREATMENT FACILITY

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 11/01/2011 11/30/2011

DMR Mailing ZIP CODE: 99519

MINOR (SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUANT	TITY OR LOADING	•	1	QUALITY OR COM	ICENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PARAMETER	,	VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		l	
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	***	****	*****	*****	NA	NA	NA	NA	NA	NA
39942 P 0 See Comments	PERMIT REQUIREMENT	有疾病治疗法	*****	*****	****	18 MO AVG	27 DAILY MX	mg/L		Quarterly	GRAB
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	*****	****	NA	NA NA	NA NA	NA	NA	NA
39942 Q 0 See Comments	PERMIT REQUIREMENT	<b>作声传光</b> 本	<b>索尔索洛泰</b> 蒙	*****	*****	18 MO AVG	27 DAILY MX	mg/L		Weekly	GRAB
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	****	*****	****	*****	10	10	mg/L	0	Monthly	GRAB
50259 1 0 Effluent Gross	PERMIT REQUIREMENT	****	\$4.75 <b>b</b> \$	***	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Monthly	GRAB
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	*****	教育学术会会	****	*****	NA	NA	NA	NA	NA	NA
50259 P 0 Effluent Gross	PERMIT REQUIREMENT	****	****	****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Quarterly	GRAB
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	****	*****	*****	****	NA	NA	NA	NA	NA	NA
50259 Q 0 Effluent Gross	PERMIT REQUIREMENT	教育的杂教	*****	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	GRAB
Mercury, total (as Hg)	SAMPLE MEASUREMENT	*****	is de phone for de	****	*****	0.2	0.2	ug/L	0	Monthly	GRAB
71900 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	****	*****	0.6 MO AVG	1.0 DAILY MX	ug/L		Monthly	GRAB
Mercury, total (as Hg)	SAMPLE MEASUREMENT	****	*****	*****	*****	NA	NA	NA	NA	NA	NA
71900 P 0 See Comments	PERMIT REQUIREMENT	请请有卖法会	***	*****	****	0.6 MO A <b>V</b> G	1.0 DAILY MX	ug/L		Quarterly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	solies civilia necescrative, ment a shareta constituen constituen between the chest's Bartlet with extraner men		TEL	EPHONE	DATE
John Zager, General Manager  Mid Continent/Alaska Business Unit	information submitted. Based on my inquiry of the person or persons who manage the system or those persons deceily responsible for gathering the information in the unformation abbinited is, to the best of city knowledge and belief, time, accurate, and complete 1 am aware that there are significant penalties for submitting falls.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(907)	276-7600	12/16/2011
TYPED OR PRINTED	information, including the possibility of fine and impresonment for knowing violations	OR AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

P=MONT. REDUCE (II.G.6.a.1.) Q=MONT INCREASE (II.G.6.a.2.) R=ACCELERATED TESTING (III.A.7)

Form Approved OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247

FACILITY: TRADING BAY TREATMENT FACILITY

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315002 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 11/01/2011 11/30/2011 то

DMR Mailing ZIP CODE: 99519

MINOR (SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUANT	TTY OR LOADING	i		QUALITY OR CON	ICENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLI TYPE
PAINMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Mercury, total (as Hg)	SAMPLE MEASUREMENT	disk disk firsk	*****	*****	*****	NA	NA	NA	NA	NA	NA
71900 Q 0 See Comments	PERMIT REQUIREMENT	***	*****	****	*****	0.6 MO AVG	1.0 DAILY MX	ug/L		Weekly	GRAB
Toxicity, Chronic**** Dendraster excentricus	SAMPLE MEASUREMENT	****	*****	*****	*****	No Sample	No Sample	NA	NA	NA	NA
TT000 1 0 See Comments***	PERMIT REQUIREMENT	****	****	*****	*****	283 MO AVG**	568 DAILY MX**	toxic		See Permit	GRAB
Toxicity, Chronic**** Menidia beryllina	SAMPLE MEASUREMENT	****	*****	*****	*****	No Sample	No Sample	NA	NA	NA	NA
TT000 1 0 See Comments***	PERMIT REQUIREMENT	****	*****	*****	*****	283 MO AVG**	568 DAILY MX**	toxic		See Permit	GRAE
Toxicity, Chronic**** Mytilus galloprovincialis	SAMPLE MEASUREMENT	****	****	****	*****	No Sample	No Sample	NA	NA	NA	NA
TT000 1 0 See Comments***	PERMIT REQUIREMENT	<b>电冷电影</b>	传染物物法治	*****	****	283 MO AVG**	568 DAILY MX**	toxic		See Permit	GRAE
Toxicity, Chronic	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NA
TT000 R 0 See Comments	PERMIT REQUIREMENT	****	****	*****	****	283 MO AVG	568 DAILY MX	toxic		See Permit	GRAE
Foxicity, Chronic	SAMPLE MEASUREMENT	*****	*****	*****	*****	NA	NA	NA	NA	NA	NΑ
TT000 Q 0 Effluent Gross	PERMIT REQUIREMENT	法法法法法	*****	*****	*****	283 MO A <b>V</b> G	568 DAILY MX	toxic		See Permit	GRAE

	puber appearance for a property of a property of a property of the property of		TELI	EPHONE	DATE
John Zager, General Manager Mid Continent/Alaska Business Unit	information substitled. Based on my inquiry of the person or practure who manage the system, or those persons discribly responsibile for gathering the information, the afformation absulfield is, to the best of my knowledge and belief, true, accurate, and complete 1 am aware that there are agratificant penalties for submitting false	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(907)	276-7600	12/16/2011
TYPED OR PRINTED	information, including the possibility of fine and imprisonment for knowing violations.	OR AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

P=MONT, REDUCE (II.G.6.a.1.) Q=MONT INCREASE (II.G,6,a,2.) R=ACCELERATED TESTING (III.A.7)

\*\*\*\*Annual three species WET testing was conducted at the end of April and beginning of May 2011. Results were reported on the May 2011 DMR. Semiannual single species WET testing was conducted in August 2011 and results were reported on the August 2011 DMR.

<sup>\*\*</sup>Section II.F.4 of the permit.

<sup>\*\*\*</sup>Reduced monitoring to two times per year due to compliance as per II.G.6.a.1 of Permit.